

In re Patent Application of:

**PERMAR, JOHN**

Serial No. **10/764,350**

Filed: **JANUARY 23, 2004**

---

**In the Claims:**

1. (Original) A folding knife comprising:

a handle;

a blade rotatably connected to said handle and moveable between an opened position and a closed position, said blade having a first lock member receiving recess defined by a bottom wall and first and second opposing sidewalls extending upwardly therefrom, and a second lock member receiving recess adjacent the first lock member receiving recess and defined by a bottom wall and a sidewall extending upwardly therefrom;

a lock bar pivotally connected to said handle and comprising a first lock member defined by a bottom wall and first and second sidewalls extending upwardly therefrom, and a second lock member adjacent the first lock member and defined by a bottom wall and a sidewall extending upwardly therefrom, said lock bar being movable between an engaged position and a disengaged position so that a portion of the first sidewall of the first lock member contacts a portion of the first sidewall of the first lock member recess to define a contact point between said lock bar and said blade when said blade is in the opened position and said lock bar is in the engaged position; and

a lock pin connected to said handle adjacent said first and second lock members so that when said blade is in the opened position and said lock bar is in the engaged position, said lock pin contacts the second sidewall of said first lock member and the bottom wall of the second lock member receiving recess.

In re Patent Application of:

**PERMAR, JOHN**

Serial No. **10/764,350**

Filed: **JANUARY 23, 2004**

---

2. (Original) A folding knife according to Claim 1 wherein the bottom wall and sidewall of said second lock member are spaced apart from the bottom wall and sidewall of the second lock member receiving recess when said lock bar is in the engaged position.

3. (Original) A folding knife according to Claim 1 wherein the sidewall of the second lock member receiving recess is spaced apart from said lock pin when said blade is in the opened position and said lock bar is in the engaged position.

4. (Original) A folding knife according to Claim 1 wherein the sidewall of the second lock member receiving recess is spaced apart from the sidewall of said second lock member when said blade is in the opened position and said lock bar is in the engaged position.

5. (Original) A folding knife according to Claim 1 further comprising a blade connecting member connected to said handle; and wherein said blade has a blade connecting member passageway for receiving said blade connecting member to thereby rotatably connect said blade to said handle.

6. (Original) A folding knife according to Claim 1 further comprising a lock bar connecting member connected to said handle; and wherein said lock bar has a lock bar connecting member passageway formed therein for receiving said lock bar connecting member to thereby pivotally connect said lock bar to said handle.

In re Patent Application of:  
**PERMAR, JOHN**  
Serial No. **10/764,350**  
Filed: **JANUARY 23, 2004**

---

7. (Original) A folding knife according to Claim 1 further comprising a lock bar spring member connected to said handle to engage a portion of said lock bar.

8. (Original) A folding knife according to Claim 1 wherein the first lock member receiving recess is U-shaped; and wherein the second lock member receiving recess is L-shaped.

9. (Original) A folding knife according to Claim 1 wherein said blade comprises an upper edge, and a sharpened lower edge.

10. (Original) A folding knife according to Claim 9 wherein said sharpened lower edge is adjacent a lower edge of said lock bar when said blade is in the closed position.

11. (Original) A folding knife according to Claim 1 wherein said handle has a distal portion and a proximal portion having a recess formed therein.

12. (Original) A folding knife comprising:  
a handle having a distal portion and a proximal portion, the proximal portion having a recess formed therein;  
a blade rotatably connected to the distal portion of said handle and moveable between an opened position and a closed position, said blade having at least one lock member receiving recess formed therein and comprising an upper edge and a lower sharpened edge;

a lock bar pivotally connected to a medial portion of said handle and moveable between an engaged position and a

In re Patent Application of:

**PERMAR, JOHN**

Serial No. **10/764,350**

Filed: **JANUARY 23, 2004**

---

disengaged position, said lock bar comprising at least one lock member, a portion of which contacts a respective portion of said blade adjacent the at least one lock member receiving recess to thereby define a contact point between said lock member and said blade when said blade is in the opened position and said lock bar is in the engaged position; and

a lock pin connected to said handle adjacent said at least one lock member.

13. (Original) A folding knife according to Claim 12 wherein the at least one lock member receiving recess includes a first lock member receiving recess defined by a bottom wall and first and second opposing sidewalls extending upwardly therefrom, and a second lock member receiving recess adjacent the first lock member receiving recess and defined by a bottom wall and a sidewall extending upwardly therefrom.

14. (Original) A folding knife according to Claim 13 wherein said at least one lock member comprises a first lock member defined by a bottom wall and first and second sidewalls extending upwardly therefrom, and a second lock member adjacent the first lock member and defined by a bottom wall and a sidewall extending upwardly therefrom.

15. (Original) A folding knife according to Claim 14 wherein the bottom wall and sidewall of the second lock member are spaced apart from the bottom wall and sidewall of the second lock member receiving recess when said lock is in the opened position and said lock bar is in the engaged position.

In re Patent Application of:

**PERMAR, JOHN**

Serial No. **10/764,350**

Filed: **JANUARY 23, 2004**

---

16. (Original) A folding knife according to Claim 15 wherein said lock pin is connected to said handle adjacent said first and second lock members so that when said blade is in the opened position said lock pin contacts the second sidewall of the first lock member and the bottom wall of the second lock member receiving recess.

17. (Original) A folding knife according to Claim 14 wherein the sidewall of the second lock member receiving recess is spaced apart from said lock pin when said blade is in the opened position and said lock bar is in the engaged position.

18. (Original) A folding knife according to Claim 14 wherein the sidewall of the second lock member receiving recess is spaced apart from said sidewall of said second lock member when said blade is in the opened position and said lock bar is in the engaged position.

19. (Original) A folding knife according to Claim 12 further comprising a lock bar spring member connected to said handle to engage a portion of said lock bar.

20. (Currently Amended) A method for locking a folding knife in an opened position, the folding knife comprising a handle, a blade rotatably connected to the handle, the blade having at least one lock member receiving recess, a lock bar pivotally connected to the handle and ~~moveable~~ moveable between an engaged position and a disengaged position, the lock bar comprising at least one lock member, and a lock pin

In re Patent Application of:

**PERMAR, JOHN**

Serial No. **10/764,350**

Filed: **JANUARY 23, 2004**

---

connected to the handle adjacent the at least one lock member,  
the method comprising:

moving the blade to the opened position; and

moving the lock bar to the engaged position so that a  
portion of the at least one lock member contacts a respective  
portion of the blade adjacent the at least one lock member  
recess to thereby define a contact point between the lock member  
and the blade when the blade is in the opened position.

21. (Original) A method according to Claim 20 wherein  
the at least one lock member receiving recess includes a first  
lock member receiving recess defined by a bottom wall and first  
and second opposing sidewalls extending upwardly therefrom, and  
a second lock member receiving recess adjacent the first lock  
member receiving recess and defined by a bottom wall and a  
sidewall extending upwardly therefrom.

22. (Original) A method according to Claim 21 wherein  
the at least one lock member comprises a first lock member  
defined by a bottom wall and first and second sidewalls  
extending upwardly therefrom, and a second lock member adjacent  
the first lock member and defined by a bottom wall and a  
sidewall extending upwardly therefrom.

23. (Original) A method according to Claim 22 wherein  
the bottom wall and sidewall of the second lock member are  
spaced apart from the bottom wall and sidewall of the second  
lock member receiving recess when the blade is in the opened  
position and the lock bar is in the engaged position.

In re Patent Application of:  
**PERMAR, JOHN**  
Serial No. **10/764,350**  
Filed: **JANUARY 23, 2004**

---

24. (Original) A method according to Claim 23 wherein the lock pin is connected to the handle adjacent the first and second lock members so that when the blade is in the opened position the lock pin contacts the second sidewall of the first lock member and the bottom wall of the second lock member receiving recess.

25. (Original) A method according to Claim 22 wherein the sidewall of the second lock member receiving recess is spaced apart from the lock pin when the blade is in the opened position and the lock bar is in the engaged position.

26. (Original) A method according to Claim 22 wherein the sidewall of the second lock member receiving recess is spaced apart from the sidewall of the second lock member when the blade is in the opened position.

27. (Original) A method according to Claim 20 wherein moving the lock bar to the locked position further comprises engaging the lock bar with a lock bar spring member connected to the handle.

In re Patent Application of:  
**PERMAR, JOHN**  
Serial No. 10/764,350  
Filed: **JANUARY 23, 2004**

---

**CONCLUSION**

In view of the amendments provided herein, it is submitted that all the claims are patentable. Accordingly, a Notice of Allowance is requested in due course. Should any minor informalities need to be addressed, the Examiner is encouraged to contact the undersigned attorney at the telephone number listed below.

Respectfully submitted,



MARK R. MALEK  
Reg. No. 46,894  
The Torpy Group, P.L.  
202 N. Harbor City Blvd.  
Suite 200  
Melbourne, Florida 32935  
(321) 255-2332 Telephone  
(321) 255-2351 Facsimile  
(321) 821-1815 Direct Fax  
Attorney for Applicant



In re Patent Application of:

**PERMAR, JOHN**


Serial No. **10/764,350**

Filed: **JANUARY 23, 2004**

---

**CERTIFICATE OF MAILING**

I HEREBY CERTIFY that the foregoing correspondence has been forwarded via U.S. Mail to Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 this 5th day of April, 2006.

  
Emily Kuss